


## Declaration of performance

In accordance with Annex III to Regulation (EU) No 574/2014  
(Construction Products Regulation) for the product:

**No: 0013-13383/1-61000032-CPR**

Page 1 av 2

1. Un-ambiguously identification code for the product type	Armourstone NS-EN 13383/1
2. Type-, batch- or serial number or other form of specs, enabling identification of the building material in accordance with article 11 no 4	Armourstone NS-EN 13383/1 HMB300/1000 – HMB1000/3000 – HMB3000/6000 – HMB6000/10000 – HMB10000/15000
3. The producers intended areas of use for the building material, in accordance with the relevant harmonized technical specification	Armourstone
4. Name, registered trademark and the contact address of the producer in accordance with art. 11 no 5.	NCC Industry AS. Avd. Valberg pukkverk Valbergveien 14. 3770 Kragerø Hjemmeside: www.ncc.no Telf: 40 00 33 68
5. Name and contact d to approved representative if mandate includes the tasks mentioned in art.12 no 2 (if relevant)	Not relevant
6. The specific system or those systems for assessment or control of the building articles constant performance, as defined in attachment V	System 2+
7. In case the performance statement concerns a building article being regulated by a harmonized standard	NS-EN 13383-1: 2002 Certification Inspection Council Kontrollrådet (1111) issued the certificate for production control in accordance with system 2 + based on the first time audit of manufacturing facility and production control
8. In the event of the declaration of performance is a design product that it made a European technical assessment of	Not relevant
9. Specified performance	See page 2 of this Declaration of performance
10. The performance of this product as specified in paragraphs 1 and 2, is consistent with the performance specified in paragraph 8. The performance statement is issued on the responsibility of the manufacturer, as defined in point No. 4	
<p>Signed for, and on behalf of, the producer of:</p> <p><i>Isak Eikeland (Site Manager)</i></p> <p>(Name and function)</p> <p><i>Kragerø 12.01.23</i></p> <p>(Place and date)</p> <div style="text-align: right;">             (Digital signature)         </div>	


## Declaration of performance

In accordance with Annex III to Regulation (EU) No 574/2014  
(Construction Products Regulation) for the product:

**No: 0013-13383/1-61000032-CPR**

Page 2 av 2

Declared value in accordance with paragraph no. 9							
Technical specification	Determined in accordance with	Performance					Harmonized standard
Particle size	EN 13383-2:2002	<b>HM<sub>6</sub>300/1000</b>	<b>HM<sub>6</sub>1000/3000</b>	<b>HM<sub>6</sub>3000/6000</b>	<b>HM<sub>6</sub>6000/10000</b>	<b>HM<sub>6</sub>10000/15000</b>	NS-EN 13383-1:2002
Particle shape	EN 13383-2:2002	LT <sub>A</sub>	LT <sub>A</sub>	LT <sub>A</sub>	LT <sub>A</sub>	LT <sub>A</sub>	
Particle density	EN 13383-2:2002	2,950-3,080 g/cm <sup>3</sup>	2,950-3,080 g/cm <sup>3</sup>	2,950-3,080 g/cm <sup>3</sup>	2,950-3,080 g/cm <sup>3</sup>	2,950-3,080 g/cm <sup>3</sup>	
Water absorption	EN 13383-2:2002	WA <sub>0,5</sub>	WA <sub>0,5</sub>	WA <sub>0,5</sub>	WA <sub>0,5</sub>	WA <sub>0,5</sub>	
Durability against freeze thaw	EN 1367-1	FT <sub>A</sub>	FT <sub>A</sub>	FT <sub>A</sub>	FT <sub>A</sub>	FT <sub>A</sub>	
Durability against weathering	EN 13383-2:2002	SB <sub>NR</sub>	SB <sub>NR</sub>	SB <sub>NR</sub>	SB <sub>NR</sub>	SB <sub>NR</sub>	
Resistance to breakage	EN 1926:1999	CS <sub>90</sub>	CS <sub>90</sub>	CS <sub>90</sub>	CS <sub>90</sub>	CS <sub>90</sub>	
Micro deval	EN 1097-9	M <sub>DE</sub> NR	M <sub>DE</sub> NR	M <sub>DE</sub> NR	M <sub>DE</sub> NR	M <sub>DE</sub> NR	
Emission of radioactivity		Under the recommended standards					
Chemi		SiO <sub>2</sub> 42%, Al <sub>2</sub> O <sub>3</sub> 17%, TiO <sub>2</sub> 1%, FeO 10%, CaO 8,5%, MgO 12,5%, Na <sub>2</sub> O 3% and other 2%					
Simplified pedographic description	NS-EN 932-2 NS-EN 933-7 NS-EN 932-2 NS-EN 1744-1-7 NS-EN 1744-1-11 NS-EN 1744-1-12 NB 21.	Dark/blue middle grained gabbro (Hyperit), granulated texture 25-60%Feldspat,20-45%Amphibole,5-20%Pyroxen,0-25%Olivine, 5%(apatite+mica+ass)					



**1111**  
**NCC Industry AS, Valberg pukkverk,**  
**Valbergveien 14, 3770 Valberg**  
**Norway**  
**23**  
**1111-CPD-0005**  
**Nr: 0013-13383/1-61000032-CPR**  
**NS-EN 13383/1**  
**Armourstone**

Most relevant / important features of this Statement of performance is no. 9. Declared performance,